

# American Journal of Physiology: Cell Physiology

No. 1. JANUARY 1994

## INVITED REVIEW

Biological applications of atomic force microscopy

*R. Lal and S. A. John*

C1

Identification of an endothelial-like type III NO synthase in LLC-PK<sub>1</sub> kidney epithelial cells

*W. R. Tracey, J. S. Pollock, F. Murad, M. Nakane, and U. Förstermann*

C22

Impaired cardiac function in rats with healed myocardial infarction: cellular vs. myocardial mechanisms

*J. Y. Cheung, T. I. Musch, H. Misawa, A. Semanchick, M. Elensky, R. V. Yelamarty, and R. L. Moore*

C29

Effect of Na<sub>pip</sub> on K<sub>o</sub> activation of the Na-K pump in adult rat cardiac myocytes

*T. A. Kinard, X.-Y. Liu, S. Liu, and J. R. Stimers*

C37

Choline chloride activates time-dependent and time-independent K<sup>+</sup> currents in dog atrial myocytes

*B. Fermini and S. Nattel*

C42

Apically and basolaterally internalized aminoglycosides colocalize in LLC-PK<sub>1</sub> lysosomes and alter cell function

*D. M. Ford, R. H. Dahl, C. A. Lamp, and B. A. Molitoris*

C52

Characteristics and regulation of a muscarinically activated K current in HSG-PA cells

*K. T. Izutsu, S. Fotherazi, R. B. Wellner, J. Herrington, C. M. Belton, and D. Oda*

C58

Dihydropyridine-sensitive initial component of the ANG II-induced Ca<sup>2+</sup> response in rat adrenal glomerulosa cells

*L. Hunyady, T. Rohács, A. Bagó, F. Deák, and A. Spät*

C67

pH, morphology, and diffusion in lateral intercellular spaces of epithelial cell monolayers

*P. J. Harris, J.-Y. Chatton, P. H. Tran, P. M. Bungay, and K. R. Spring*

C73

Acidification of three types of liver endocytic vesicles: similarities and differences

*R. W. Van Dyke and J. D. Belcher*

C81

K-Cl cotransport, pH, and role of Mg in volume-clamped low-K sheep erythrocytes: three equilibrium states

*P. K. Lauf, A. Erdmann, and N. C. Adragna*

C95

Cl<sup>-</sup> regulation of a Ca<sup>2+</sup>-activated nonselective cation channel in  $\beta$ -agonist-treated fetal distal lung epithelium

*H. Tohda, J. K. Foskett, H. O'Brodovich, and Y. Marunaka*

C104

Na<sup>+</sup>-H<sup>+</sup> antiporter activity in relation to membrane fatty acid composition and cell proliferation

*J. Goré, P. Besson, C. Hoinard, and P. Bounoux*

C110

Permeability properties of rat renal lysosomes

*A.-I. Piqueras, M. Somers, T. G. Hammond, K. Strange, H. W. Harris, Jr., M. Gawryl, and M. L. Zeidel*

C121

Involvement of protein kinase C in macrophage activation by poly(I·C)

*F. R. Lake, E. C. Dempsey, J. D. Spahn, and D. W. H. Riches*

C134

Effects of orchietomy on EDL muscle ultrastructure and energy-supplying enzymes in growing male guinea pigs

*B. Beaune, N. Fellmann, F. Villié, M. Marcollet, and J. Coudert*

C143

Functional CFTR in endosomal compartment of CFTR-expressing fibroblasts and T84 cells

*J. Biwersi and A. S. Verkman*

C149

Polyadenylation of Na <sup>+</sup> -K <sup>+</sup> -ATPase $\beta_1$ -subunit during early development of <i>Xenopus laevis</i> <i>P. Burgener-Kairuz, I. Corthesy-Theulaz, A.-M. Merillat, P. Good, K. Geering, and B. C. Rossier</i>	C157
Regulatory volume decrease in cultured astrocytes. I. Potassium- and chloride-activated permeability <i>H. Pasantes-Morales, R. A. Murray, L. Lilja, and J. Morán</i>	C165
Regulatory volume decrease in cultured astrocytes. II. Permeability pathway to amino acids and polyols <i>H. Pasantes-Morales, R. A. Murray, R. Sánchez-Olea, and J. Morán</i>	C172
Hydroperoxide-induced oxidative stress impairs heart muscle cell carbohydrate metabolism <i>D. R. Janero, D. Hreniuk, and H. M. Sharif</i>	C179
Expression, functional analysis, and in situ hybridization of a cloned rat kidney collecting duct water channel <i>T. Ma, H. Hasegawa, W. R. Skach, A. Frigeri, and A. S. Verkman</i>	C189
Inhibition of Na <sup>+</sup> -K <sup>+</sup> -ATPase activates Na <sup>+</sup> -K <sup>+</sup> -2Cl <sup>-</sup> cotransporter activity in cultured ciliary epithelium <i>J. Dong, N. A. Delamere, and M. Coca-Prados</i>	C198
Basic FGF activates phospholipase D in endothelial cells in the absence of inositol-lipid hydrolysis <i>A. Ahmed, R. Plevin, M. A. Shoaibi, S. A. Fountain, R. A. Ferriani, and S. K. Smith</i>	C206
CFTR and calcium-activated chloride currents in pancreatic duct cells of a transgenic CF mouse <i>M. A. Gray, J. P. Winpenny, D. J. Porteous, J. R. Dorin, and B. E. Argent</i>	C213
Regulation of intracellular free Mg <sup>2+</sup> and contraction in single adult mammalian cardiac myocytes <i>H. S. Silverman, F. Di Lisa, R. C. Hui, H. Miyata, S. J. Sollott, R. G. Hansford, E. G. Lakatta, and M. D. Stern</i>	C222
Na <sup>+</sup> -Ca <sup>2+</sup> exchanger in arteries: identification by immunoblotting and immunofluorescence microscopy <i>M. Juhaszova, A. Ambesi, G. E. Lindenmayer, R. J. Bloch, and M. P. Blaustein</i>	C234
Epidermis contains platelet-type 12-lipoxygenase that is overexpressed in germinal layer keratinocytes in psoriasis <i>H. Hussain, L. P. Shornick, V. R. Shannon, J. D. Wilson, C. D. Funk, A. P. Pentland, and M. J. Holtzman</i>	C243
Polarization-dependent apical membrane CFTR targeting underlies cAMP-stimulated Cl <sup>-</sup> secretion in epithelial cells <i>A. P. Morris, S. A. Cunningham, A. Tousson, D. J. Benos, and R. A. Frizzell</i>	C254
PGI <sub>2</sub> : a mediator of corneal endothelial wound repair in vitro <i>N. C. Joyce and B. Meklir</i>	C269
Ca <sup>2+</sup> stores in smooth muscle cells: Ca <sup>2+</sup> buffering and coupling to AVP-evoked inositol phosphate synthesis <i>D. M. Berman, T. Sugiyama, and W. F. Goldman</i>	C276
Characterization of the endogenous Na <sup>+</sup> -K <sup>+</sup> -2Cl <sup>-</sup> cotransporter in <i>Xenopus</i> oocytes <i>W. Suvitayavat, H. C. Palfrey, M. Haas, P. B. Dunham, F. Kalmar, and M. C. Rao</i>	C284

---

## MODELING IN PHYSIOLOGY

A model for the propagation of intercellular calcium waves <i>J. Sneyd, A. C. Charles, and M. J. Sanderson</i>	C293
---	------

---

## SPECIAL COMMUNICATION

A confocal laser scanning microscope designed for indicators with ultraviolet excitation wavelengths <i>E. Niggli, D. W. Piston, M. S. Kirby, H. Cheng, D. R. Sandison, W. W. Webb, and W. J. Lederer</i>	C303
--	------

## RAPID COMMUNICATION

Increased intracellular  $\text{Na}^+$  augments mobilization of  $\text{Ca}^{2+}$  from SR in vascular smooth muscle cells

*M. L. Borin, R. M. Tribe, and M. P. Blaustein*

C311

## No. 2. FEBRUARY 1994

### INVITED REVIEW

The insulin receptor: structure, function, and signaling

*J. Lee and P. F. Pilch*

C319

---

Muscarinic cholinergic receptor subtypes in rat sublingual glands

*G. E. Watson and D. J. Culp*

C335

Identification of a sorbitol permease in human erythrocytes

*G. R. Kracke, G. G. Preston, and T. H. Stanley*

C343

Human *rsk* isoforms: cloning and characterization of tissue-specific expression

*D. E. Moller, C.-H. Xia, W. Tang, A. X. Zhu, and M. Jakubowski*

C351

Heterologous expression of  $\Delta\text{F508}$  CFTR results in decreased sialylation of membrane glycoconjugates

*A. Dosanjh, W. Lencer, D. Brown, D. A. Ausiello, and J. L. Stow*

C360

Human kidney proximal tubules are the main source of plasma glutathione peroxidase

*N. Avissar, D. B. Ornt, Y. Yagil, S. Horowitz, R. H. Watkins, E. A. Kerl, K. Takahashi, I. S. Palmer, and H. J. Cohen*

C367

Soluble  $\alpha_v\beta_3$ -integrin ligands raise  $[\text{Ca}^{2+}]_i$  in rat osteoclasts and mouse-derived osteoclast-like cells

*Z. Zimolo, G. Wesolowski, H. Tanaka, J. L. Hyman, J. R. Hoyer, and G. A. Rodan*

C376

Augmented expression of cytosolic phospholipase  $\text{A}_2$  during phenotypic transformation of cultured type II pneumocytes

*M. Peters-Golden and A. Feyssa*

C382

Calcium-dependent halothane activation of sarcoplasmic reticulum calcium channels from frog skeletal muscle

*R. Bull and J. J. Marengo*

C391

Activation of  $\text{PtdIns}(4,5)\text{P}_2$ -sensitive phospholipase C in rabbit tracheal epithelial cells

*C. M. Liedtke*

C397

Calcium-dependent release of arachidonic acid in response to purinergic receptor activation in airway epithelium

*E. R. Lazarowski, R. C. Boucher, and T. K. Harden*

C406

Simultaneous measurement of intracellular  $\text{Na}^+$  and  $\text{Ca}^{2+}$  during  $\text{K}^+$ -free perfusion in isolated myocytes

*H. Hayashi, H. Satoh, N. Noda, H. Terada, M. Hirano, Y. Yamashita, A. Kobayashi, and N. Yamazaki*

C416

Aldosterone selectively increases  $\text{Na}^+$ - $\text{K}^+$ -ATPase  $\alpha_3$ -subunit mRNA expression in rat hippocampus

*N. Farman, J.-P. Bonvalet, and J. R. Seckl*

C423

Second messenger specificity of the inositol trisphosphate receptor: reappraisal based on novel inositol phosphates

*S. DeLisle, T. Radenberg, M. R. Wintermantel, C. Tietz, J. B. Parys, D. Pittet, M. J. Welsh, and G. W. Mayr*

C429

BDM affects nucleotide binding and force generation steps of the cross-bridge cycle in rabbit psoas muscle fibers

*Y. Zhao and M. Kawai*

C437

Thrombin receptor activation peptide induces pulmonary vasoconstriction

*H. Lum, T. T. Andersen, J. W. Fenton II, and A. B. Malik*

C448

Multiphasic control of proteolysis by leucine and alanine in the isolated rat hepatocyte <i>R. Venerando, G. Miotto, M. Kadowaki, N. Siliprandi, and G. E. Mortimore</i>	C455
High-affinity [ <sup>3</sup> H]PN200-110 and [ <sup>3</sup> H]ryanodine binding to rabbit and frog skeletal muscle <i>K. Anderson, A. H. Cohn, and G. Meissner</i>	C462
Characterization of cochlear outer hair cell turgor <i>M. E. Chertoff and W. E. Brownell</i>	C467
Enhanced Na <sup>+</sup> -H <sup>+</sup> exchanger activity and NHE-1 mRNA levels in human lymphocytes during metabolic acidosis <i>B. Quednau, D. Roskopf, H. P. Reusch, F. C. Luft, and W. Siffert</i>	C480
Intracellular pH recovery during respiratory acidosis in perfused hearts <i>J. I. Vandenberg, J. C. Metcalfe, and A. A. Grace</i>	C489
A cytosolic peptide potentiates the GTP effect on $\beta$ -adrenergic response of adenylate cyclase <i>K. Omori, K. Kitagawa, K. Omori, T. Yasukura, T. Uriu, M. Morita, and C. Inagaki</i>	C498
Low pH enhances expression of carbonic anhydrase II by cultured rat inner medullary collecting duct cells <i>G. J. Schwartz, D. Brown, R. Mankus, E. A. Alexander, and J. H. Schwartz</i>	C508
Cell volume and K <sup>+</sup> transport during differentiation of mouse erythroleukemia cells <i>E. Delpire and S. R. Gullans</i>	C515
Effects of insulin and exercise on amino acid transport in rat skeletal muscle <i>P. A. King</i>	C524
Regulation of NaCl entry into <i>Necturus</i> gallbladder epithelium by protein kinase C <i>R. Dausch and K. R. Spring</i>	C531
Cl <sup>-</sup> current activation in choroid plexus epithelial cells involves a G protein and protein kinase A <i>T. Kotera and P. D. Brown</i>	C536
<sup>19</sup> F-NMR study of primary human T lymphocyte activation: effects of mitogen on intracellular pH <i>M. Bental and C. Deutsch</i>	C541
Aldosterone stimulates K secretion prior to onset of Na absorption in guinea pig distal colon <i>D. R. Halm and S. T. Halm</i>	C552
Immunolocalization of anion exchanger AE2 and cation exchanger NHE1 in distinct adjacent cells of gastric mucosa <i>A. Stuart-Tilley, C. Sardet, J. Pouyssegur, M. A. Schwartz, D. Brown, and S. L. Alper</i>	C559
Voltage-dependent gap junctional conductance in hepatopancreatic cells of <i>Procambarus clarkii</i> <i>M. Chanson, C. Roy, and D. C. Spray</i>	C569
<b>ANNOUNCEMENTS</b>	C578

### No. 3. MARCH 1994

#### INVITED REVIEW

Analysis of subunit assembly of the Na-K-ATPase <i>D. M. Fambrough, M. V. Lemas, M. Hamrick, M. Emerick, K. J. Renaud, E. M. Inman, B. Hwang, and K. Takeyasu</i>	C579
--	------

pH-dependent multilamellar structures in fetal mouse bone: possible involvement of fatty acids in bone mineralization <i>T. Takahashi, S. Ueda, K. Takahashi, and R. O. Scow</i>	C590
---	------

Comparison of large-conductance $\text{Ca}^{2+}$ -activated $\text{K}^{+}$ channels in artificial bilayer and patch-clamp experiments <i>C. L. Kapicka, A. Carl, M. L. Hall, A. L. Percival, B. W. Frey, and J. L. Kenyon</i>	C601
Phosphorylation of vimentin is an intermediate step in protein kinase C-mediated glycoconjugate secretion <i>F. Bertrand, D. Veissiere, B. Hermelin, A. Paul, J. Capeau, J. Picard, and G. Cherqui</i>	C611
ATP-sensitive $\text{K}^{+}$ channel-independent glucose action in rat pancreatic $\beta$ -cell <i>T. Aizawa, Y. Sato, F. Ishihara, N. Taguchi, M. Komatsu, N. Suzuki, K. Hashizume, and T. Yamada</i>	C622
Role of calcium and calmodulin in flow-induced nitric oxide production in endothelial cells <i>M. J. Kuchan and J. A. Frangos</i>	C628
Matrix protein regulation of PMN oxidative metabolism during ischemia <i>H. Simms and R. D'Amico</i>	C637
Characterization of <i>d</i> -tubocurarine binding site of <i>Torpedo</i> acetylcholine receptor <i>M. E. O'Leary, G. N. Filatov, and M. M. White</i>	C648
Vasoconstrictive peptides induce endothelin-1 and prostanoids in human cerebromicrovascular endothelium <i>M. Spatz, D. Stanimirovic, F. Bacic, S. Uematsu, and R. M. McCarron</i>	C654
Forskolin- but not ionomycin-evoked $\text{Cl}^{-}$ secretion in colonic epithelia depends on intact microtubules <i>C. M. Fuller, R. J. Bridges, and D. J. Benos</i>	C661
Angiotensin II-dependent proximal tubule sodium transport requires receptor-mediated endocytosis <i>J. R. Schelling and S. L. Linas</i>	C669
Volume regulation in cultured cells derived from human retinal pigment epithelium <i>B. G. Kennedy</i>	C676
Regulation of isotonic shortening velocity by second messengers in tracheal smooth muscle <i>S. J. Gunst, M. H. Al-Hassani, and L. P. Adam</i>	C684
Receptor- and phorbol ester-mediated phospholipase D activation in rat parotid involves two different pathways <i>I. Guillemain and B. Rossignol</i>	C692
Measurement and characterization of free radical generation in reoxygenated human endothelial cells <i>J. L. Zweier, P. Kuppusamy, S. Thompson-Gorman, D. Klunk, and G. A. Luttj</i>	C700
A background sodium conductance is necessary for spontaneous depolarizations in rat pituitary cell line GH <sub>3</sub> <i>S. M. Simasko</i>	C709
Free radicals uncouple the sodium pump in pig coronary artery <i>A. B. Elmoselhi, A. Butcher, S. E. Samson, and A. K. Grover</i>	C720
Mineralocorticoid and glucocorticoid receptor steroid binding and localization in colonic cells <i>G. Schulman, N. M. Robertson, I. B. Elfenbein, D. Eneanya, G. Litwack, and C. P. Bastl</i>	C729
Calcium-dependent chloride channels in endosomes from rabbit kidney cortex <i>W. B. Reeves and R. W. Gurich</i>	C741
Role of protein kinase C in insulin activation of the Na-K pump in cultured skeletal muscle <i>S. R. Sampson, C. Brodie, and S. V. Alboim</i>	C751
Staurosporine, a protein kinase inhibitor, activates K-Cl cotransport in LK sheep erythrocytes <i>I. Bize and P. B. Dunham</i>	C759
Regulation of $\alpha_{1\text{B}}$ -adrenergic receptor half-life: protein synthesis dependence and effect of norepinephrine <i>N. J. Izzo, Jr., and W. S. Colucci</i>	C771

Endothelial polyamine uptake: selective stimulation by L-arginine deprivation or polyamine depletion <i>R. G. Bogle, G. E. Mann, J. D. Pearson, and D. M. L. Morgan</i>	C776
Modulation of intracellular calcium transients and dopamine release by neuropeptide Y in PC-12 cells <i>X. Chen and T. C. Westfall</i>	C784
Role of $\text{Na}^+$ - $\text{Ca}^{2+}$ exchange in agonist-induced changes in cytosolic $\text{Ca}^{2+}$ in vascular smooth muscle cells <i>Z. Zhu, M. Tepel, M. Neusser, and W. Zidek</i>	C794
$\text{Na}^+$ -dependent $\text{Ca}^{2+}$ efflux mechanism of heart mitochondria is not a passive $\text{Ca}^{2+}/2\text{Na}^+$ exchanger <i>K. Baysal, D. W. Jung, K. K. Gunter, T. E. Gunter, and G. P. Brierley</i>	C800
Primary structure and functional properties of an epithelial K channel <i>H. Zhou, S. S. Tate, and L. G. Palmer</i>	C809
Energy use by contractile and noncontractile processes in skeletal muscle estimated by $^{31}\text{P}$ -NMR <i>A. J. Baker, R. Brandes, T. M. Schendel, S. D. Trocha, R. G. Miller, and M. W. Weiner</i>	C825

---

## MODELING IN PHYSIOLOGY

A mathematical model of a rabbit sinoatrial node cell <i>S. S. Demir, J. W. Clark, C. R. Murphey, and W. R. Giles</i>	C832
--	------

---

## SPECIAL COMMUNICATION

Analysis of decaying unitary currents in on-cell patches of cells with a high membrane resistance <i>J. H. Ravesloot, M. J. A. M. van Putten, K. Jalink, and D. L. Ypey</i>	C853
--	------

---

## RAPID COMMUNICATION

Differential acidic pH sensitivity of $\Delta\text{F508}$ CFTR $\text{Cl}^-$ channel activity in lipid bilayers <i>A. M. Sherry, J. Cuppoletti, and D. H. Malinowska</i>	C870
---	------

---

## ANNOUNCEMENTS

C876

## No. 4. APRIL 1994

### INVITED REVIEW

Macromolecular crowding and confinement in cells exposed to hypertonicity <i>M. M. Garner and M. B. Burg</i>	C877
---	------

---

Extrarenal tissue distribution of CHIP28 water channels by in situ hybridization and antibody staining <i>H. Hasegawa, S.-C. Lian, W. E. Finkbeiner, and A. S. Verkman</i>	C893
Mechanisms of heterologous agonist-stimulated phosphorylation of cholecystokinin receptor <i>Z. Zhu, M. Lutz, L. K. Gates, and L. J. Miller</i>	C904
Acinar zonation of the hormonal regulation of cytosolic aspartate aminotransferase in the liver <i>S. Feilleux-Duché, M. Garlatti, R. Burcelin, M. Aggerbeck, J. Bouguet, J. Girard, J. Hanoune, and R. Barouki</i>	C911
Contractile properties and myosin phenotype of single motor units from neonatal rats <i>A. G. Nelson and W. J. Thompson</i>	C919
Excitation-induced activation of the $\text{Na}^+$ - $\text{K}^+$ pump in rat skeletal muscle <i>M. E. Everts and T. Clausen</i>	C925



pH <sub>i</sub> -dependent Cl-HCO <sub>3</sub> exchange at the basolateral membrane of frog retinal pigment epithelium <i>H. Lin and S. S. Miller</i>	C935
Acidification stimulates chloride and fluid absorption across frog retinal pigment epithelium <i>J. L. Edelman, H. Lin, and S. S. Miller</i>	C946
Potassium-induced chloride secretion across the frog retinal pigment epithelium <i>J. L. Edelman, H. Lin, and S. S. Miller</i>	C957
Differential effects of hyperthermia on macrophage interleukin-6 and tumor necrosis factor- $\alpha$ expression <i>J. E. Ensor, S. M. Wiener, K. A. McCrea, R. M. Viscardi, E. K. Crawford, and J. D. Hasday</i>	C967
17 $\beta$ -Estradiol attenuates voltage-dependent Ca <sup>2+</sup> currents in A7r5 vascular smooth muscle cell line <i>F. Zhang, J. L. Ram, P. R. Standley, and J. R. Sowers</i>	C975
Ultrastructural localization of nitric oxide synthase in canine small intestine and colon <i>I. Berezin, S. H. Snyder, D. S. Bredt, and E. E. Daniel</i>	C981
13-HODE increases intracellular calcium in vascular smooth muscle cells <i>L. L. Stoll, M. R. Morland, and A. A. Spector</i>	C990
Soluble polycations and cationic amphiphiles inhibit volume-sensitive K-Cl cotransport in human red cell ghosts <i>J. R. Sachs</i>	C997
Calcium signaling induced by bradykinin is synergistically enhanced by high K <sup>+</sup> in NG108-15 cells <i>S.-H. Chueh and L.-S. Kao</i>	C1006
Luminal perfusion of isolated gastric glands <i>S. J. Waisbren, J. Geibel, W. F. Boron, and I. M. Modlin</i>	C1013
Protein turnover during metabolic arrest in turtle hepatocytes: role and energy dependence of proteolysis <i>S. C. Land and P. W. Hochachka</i>	C1028
Dietary protein-induced renal growth: correlation between renal IGF-I synthesis and hyperplasia <i>E. Chin and C. A. Bondy</i>	C1037
Cell volume control in vestibular dark cells during and after a hyposmotic challenge <i>P. Wangemann and N. Shiga</i>	C1046
Mechanism of sodium hyperabsorption in cultured cystic fibrosis nasal epithelium: a patch-clamp study <i>T. C. Chinet, J. M. Fullton, J. R. Yankaskas, R. C. Boucher, and M. J. Stutts</i>	C1061
Effect of brefeldin A on ADH-induced transport responses of toad bladder <i>K. Weng and J. B. Wade</i>	C1069
Length, force, and Ca <sup>2+</sup> -troponin C affinity in cardiac and slow skeletal muscle <i>Y.-P. Wang and F. Fuchs</i>	C1077
Effects of CGRP, forskolin, PMA, and ionomycin on pH <sub>i</sub> dependence of Na-H exchange in UMR-106 cells <i>A. Gupta, C. J. Schwiening, and W. F. Boron</i>	C1083
Interleukin-1 stimulates phosphatidic acid-mediated phospholipase D activity in human mesangial cells <i>S. L. Bursten and W. E. Harris</i>	C1093
Characterization and localization of epithelial Na <sup>+</sup> channels in toad urinary bladder <i>T. R. Kleyman, P. R. Smith, and D. J. Benos</i>	C1105
Extracellular Mg <sup>2+</sup> -dependent Na <sup>+</sup> , K <sup>+</sup> , and Cl <sup>-</sup> efflux in squid giant axons <i>H. Rasgado-Flores, H. Gonzalez-Serratos, and J. DeSantiago</i>	C1112

---

## SPECIAL COMMUNICATION

Confocal microscopy to analyze cytosolic and nuclear calcium in cultured vascular cells <i>M. Burnier, G. Centeno, E. Burki, and H. R. Brunner</i>	C1118
---	-------

## RAPID COMMUNICATION

- Protein kinase-independent inhibition of muscarinic K<sup>+</sup> channels by staurosporine  
*C. F. Lo and G. E. Breitwieser* C1128

---

## LETTERS TO THE EDITOR

- Calcium uptake  
*B. Agostini and W. Hasselbach; E. Dumonteil, H. Barré, and G. Meissner* C1133

---

## ANNOUNCEMENTS

C1134

### No. 5. MAY 1994

## INVITED REVIEW

- Viral gene products and replication of the human immunodeficiency type 1 virus  
*C. D. Morrow, J. Park, and J. K. Wakefield* C1135
- 
- Control of H<sup>+</sup>-HCO<sub>3</sub><sup>-</sup> plasma membrane transporters by urea hyperosmolality in rat medullary thick ascending limb  
*F. Leviel, M. Froissart, H. Soualmia, J. Poggioli, M. Paillard, and M. Bichara* C1157
- Enhancement of gustatory nerve fibers to NaCl and formation of ion channels by commercial novobiocin  
*A. M. Feigin, Y. Ninomiya, S. M. Bezrukov, B. P. Bryant, P. A. Moore, M. Komai, M. Wachowiak, J. H. Teeter, I. Vodyanoy, and J. G. Brand* C1165
- Decline in number of Na-K pumps on low-K<sup>+</sup> sheep reticulocytes during maturation is modulated by L<sub>p</sub> antigen  
*Z.-C. Xu, P. B. Dunham, B. Dyer, and R. Blostein* C1173
- Differential Ca<sup>2+</sup> sensitivities of BK(Ca) isochoannels in bovine mesenteric vascular smooth muscle  
*S. C. Sansom and J. D. Stockand* C1182
- Skeletal muscle overload upregulates the sarcoplasmic reticulum slow calcium pump gene  
*S. C. Kandarian, D. G. Peters, J. A. Taylor, and J. H. Williams* C1190
- Identification and characterization of the rat intestinal epithelial cell (IEC-18) interleukin-1 receptor  
*D. B. Sutherland, G. W. Varilek, and G. A. Neil* C1198
- β-Adrenoceptor activation slows high-frequency fatigue in skeletal muscle fibers of the rat  
*S. P. Cairns and A. F. Dulhunty* C1204
- Ion transport asymmetry and functional coupling in bovine pigmented and nonpigmented ciliary epithelial cells  
*J. L. Edelman, G. Sachs, and J. S. Adorante* C1210
- Loss of glucose transporters is an early event in differentiation of HD3 cells  
*A. Mathew, M. Grdisa, P. J. Robbins, M. K. White, and R. M. Johnstone* C1222
- Gene expression during phorbol ester-induced differentiation of cultured human megakaryoblastic cells  
*G. W. Dorn II, M. G. Davis, and D. D. D'Angelo* C1231
- Shifts in type I fiber proportion in rat hindlimb muscle are accompanied by changes in HSP72 content  
*M. Locke, B. G. Atkinson, R. M. Tanguay, and E. G. Noble* C1240
- Interactions between retinoic acid and 1,25(OH)<sub>2</sub>D in mouse immortalized osteoblastic C1 cells  
*J. Chentoufi and P. J. Marie* C1247
- Responses of β-adrenoceptor in rat soleus to phosphorus compound levels and/or unloading  
*Y. Ohira, K. Saito, T. Wakatsuki, W. Yasui, T. Suetsugu, K. Nakamura, H. Tanaka, and T. Asakura* C1257



Development of a H <sup>+</sup> -selective conductance during granulocytic differentiation of HL-60 cells <i>A. Y. Qu, A. Nanda, J. T. Curnutte, and S. Grinstein</i>	C1263
Neuropeptide Y stimulates hypertrophy of adult ventricular cardiomyocytes <i>B. C. Millar, K.-D. Schlüter, X.-J. Zhou, B. J. McDermott, and H. M. Piper</i>	C1271
Aldosterone induces early activation and late accumulation of Na-K-ATPase at surface of A6 cells <i>J. Beron and F. Verrey</i>	C1278
Modulation of Ca <sup>2+</sup> transients by photorelease of caged nucleotides in frog skeletal muscle fibers <i>J. A. Sanchez and J. Vergara</i>	C1291
Developmental cell-specific regulation of Na <sup>+</sup> -K <sup>+</sup> -ATPase $\alpha_1$ -, $\alpha_2$ -, and $\alpha_3$ -isoform gene expression <i>V. L. M. Herrera, T. Cova, D. Sassoon, and N. Ruiz-Opazo</i>	C1301
NMR-sensitive fluorinated and fluorescent intracellular calcium ion indicators with high dissociation constants <i>R. E. London, C. K. Rhee, E. Murphy, S. Gabel, and L. A. Levy</i>	C1313
Measurement of cytosolic free calcium in perfused rat heart using TF-BAPTA <i>E. Murphy, C. Steenbergen, L. A. Levy, S. Gabel, and R. E. London</i>	C1323
Endotoxin-stimulated alveolar macrophages impair lung epithelial Na <sup>+</sup> transport by an L-Arg-dependent mechanism <i>C. G. Compeau, O. D. Rotstein, H. Tohda, Y. Marunaka, B. Rafii, A. S. Slutsky, and H. O'Brodovich</i>	C1330
Role of cell volume variations in Na <sup>+</sup> -K <sup>+</sup> -ATPase recruitment and/or activation in cortical collecting duct <i>N. Coutry, N. Farman, J.-P. Bonvalet, and M. Blot-Chabaud</i>	C1342
Interaction of cardiac Na-Ca exchanger and exchange inhibitory peptide with membrane phospholipids <i>T. R. Shannon, C. C. Hale, and M. A. Milanick</i>	C1350
Atrial natriuretic peptide enhances activity of potassium conductance in adrenal glomerulosa cells <i>M. B. Ganz, J. J. Nee, C. M. Isles, and P. Q. Barrett</i>	C1357
Water channel vesicles from toad urinary bladder contain a family of proteins present in other tissues <i>A. Paredes, D. M. Briscoe, C. K. Williams, A. Garcia-Perez, J. B. Wade, and H. W. Harris</i>	C1366
pH-dependent inhibitory effects of Ca <sup>2+</sup> , Mg <sup>2+</sup> , and K <sup>+</sup> on Ca <sup>2+</sup> efflux mediated by sarcoplasmic reticulum ATPase <i>H. Wolosker and L. de Meis</i>	C1376
Effects of vanadate on MgATP stimulation of Na-Ca exchange support kinase-phosphatase modulation in squid axons <i>R. DiPolo and L. Beaugé</i>	C1382
Prostaglandin E <sub>2</sub> synthesis after oxidant stress is dependent on cell glutathione content <i>S. L. Hempel and D. A. Wessels</i>	C1392
ESR spectral transition by arteriovenous cycle in nitric oxide hemoglobin of cytokine-treated rats <i>H. Kosaka, Y. Sawai, H. Sakaguchi, E. Kumura, N. Harada, M. Watanabe, and T. Shiga</i>	C1400
Bradykinin and angiotensin II: activation of protein kinase C in arterial smooth muscle <i>B. S. Dixon, R. V. Sharma, T. Dickerson, and J. Fortune</i>	C1406
Agonist-activated, ryanodine-sensitive, IP <sub>3</sub> -insensitive Ca <sup>2+</sup> release channels in longitudinal muscle of intestine <i>J. F. Kuemmerle, K. S. Murthy, and G. M. Makhlof</i>	C1421
Modulation by L-type Ca <sup>2+</sup> channels and apamin-sensitive K <sup>+</sup> channels of muscarinic responses in cat chromaffin cells <i>G. Uceda, A. R. Artalejo, M.-T. de la Fuente, M. G. López, A. Albillos, P. Michelena, A. G. García, and C. Montiel</i>	C1432

Na-K-Cl cotransport in nystatin-treated tracheal cells: regulation by isoproterenol, apical UTP, and  $[Cl]_i$

*M. Haas and D. G. McBrayer*

C1440

---

### SPECIAL COMMUNICATION

Detection and quantitation of EP<sub>3</sub> prostaglandin E<sub>2</sub> receptor mRNA along mouse nephron segments by RT-PCR

*S. Taniguchi, T. Watanabe, A. Nakao, G. Seki, S. Uwatoke, and K. Kurokawa*

C1453

---

### RAPID COMMUNICATIONS

Differential modulation of large-conductance K<sub>Ca</sub> channels by PKA in pregnant and nonpregnant myometrium

*G. Pérez and L. Toro*

C1459

Both CFTR and outwardly rectifying chloride channels contribute to cAMP-stimulated whole cell chloride currents

*E. M. Schwiebert, T. Flotte, G. R. Cutting, and W. B. Guggino*

C1464

Hyperabsorption of Na<sup>+</sup> and raised Ca<sup>2+</sup>-mediated Cl<sup>-</sup> secretion in nasal epithelia of CF mice

*B. R. Grubb, R. N. Vick, and R. C. Boucher*

C1478

---

### ANNOUNCEMENTS

C1484

## No. 6. JUNE 1994

### INVITED REVIEW

Structure and function of ryanodine receptors

*R. Coronado, J. Morrisette, M. Sukhareva, and D. M. Vaughan*

C1485

---

Isolation of a rat amiloride-binding protein cDNA clone: tissue distribution and regulation of expression

*K. Verity and P. J. Fuller*

C1505

Antidiuretic hormone-responding nonselective cation channel in distal nephron epithelium (A6)

*Y. Marunaka, H. Tohda, N. Hagiwara, and T. Nakahara*

C1513

Physiological role of Ca<sup>2+</sup>-activated and voltage-dependent K<sup>+</sup> currents in rabbit coronary myocytes

*N. Leblanc, X. Wan, and P. M. Leung*

C1523

A Na<sup>+</sup>-sensitive cation channel modulated by angiotensin II in cultured intestinal myocytes

*V. L. A. Nouailhetas, J. Aboulafia, E. Frediani-Neto, A. T. Ferreira, and A. C. M. Paiva*

C1538

In situ determination of  $[Ca^{2+}]_i$  threshold for translocation of the  $\alpha$ -protein kinase C isoform

*R. A. Khalil, C. Lajoie, and K. G. Morgan*

C1544

Integrin-mediated adhesive properties of uroepithelial cells are inhibited by treatment with bacterial toxins

*A. Elgavish, A. Pattanaik, K. Lloyd, and R. Reed*

C1552

Regulation of endothelin-induced Ca<sup>2+</sup> mobilization in smooth muscle cells by protein kinase C

*Y.-T. Xuan, O.-L. Wang, and A. R. Whorton*

C1560

Cytokines affect ion transport in primary cultured thick ascending limb of Henle's loop cells

*B. A. Escalante, N. R. Ferreri, C. E. Dunn, and J. C. McGiff*

C1568

- Anion-induced dynamic behavior of apical water channels in vasopressin-sensitive epithelia exposed to mercury  
A. Grosso, P. Jaquet, P. Brawand, and R. C. de Sousa C1577
- Radiotracer studies of cystic fibrosis transmembrane conductance regulator expressed in *Xenopus* oocytes  
T. Ohrui, W. Skach, M. Thompson, J. Matsumoto-Pon, C. Calayag, and J. H. Widdicombe C1586
- Ion transport mechanisms in rat parotid intralobular striated ducts  
M. Paulais, E. J. Cragoe, Jr., and R. J. Turner C1594
- Angiotensin II stimulation of Na-H antiporter activity is cAMP independent in OKP cells  
A. Cano, R. T. Miller, R. J. Alpern, and P. A. Preisig C1603
- Transepithelial phosphate transport in rabbit proximal tubular cells adapted to phosphate deprivation  
S. J. Scheinman, R. Reid, R. Coulson, D. B. Jones, and S. M. Ford C1609
- Perforated-patch recording does not enhance effect of 3-isobutyl-1-methylxanthine on cardiac calcium current  
A. Kawamura and G. M. Wahler C1619
- Principal cell-specific antigen and hormonal regulatory network in RC.SVtsA58 cell line  
D. Prie, J.-C. Dussault, B. Lelongt, M. Geniteau-Legendre, F. Chatelet, R. Cassingena, A. Vandewalle, and P. M. Ronco C1628
- Regulation of cell volume and  $[Ca^{2+}]_i$  in attached human fibroblasts responding to anisosmotic buffers  
K. J. Bibby and C. A. G. McCulloch C1639
- $K^+$  modulation of microglial superoxide production: involvement of voltage-gated  $Ca^{2+}$  channels  
C. A. Colton, M. Jia, M. X. Li, and D. L. Gilbert C1650
- Regulation of calcium channel current in A7r5 vascular smooth muscle cells by cyclic nucleotides  
J. N. Lorenz, D. R. Bielefeld, and N. Sperelakis C1656
- Liver  $\beta$ -adrenergic receptors, G proteins, and adenylyl cyclase activity in obesity-diabetes syndromes  
N. Bégin-Heick C1664
- Metabolic characteristics of  $\alpha$ -toxin-permeabilized smooth muscle  
L. Trinkle-Mulcahy, M. J. Siegman, and T. M. Butler C1673
- Synthetic lipopeptide Pam<sub>3</sub>CysSer(Lys)<sub>4</sub> is an effective activator of human platelets  
M. Berg, S. Offermanns, R. Seifert, and G. Schultz C1684
- ATP decreases acutely and reversibly transport through the paracellular pathway in human cervical cells  
G. I. Gorodeski, U. Hopfer, R. L. Echert, W. H. Utian, B. J. De Santis, E. A. Rorke, and M. F. Romero C1692
- Shortening velocity and ATPase activity of rat skeletal muscle fibers: effects of endurance exercise training  
J. M. Schluter and R. H. Fitts C1699
- Multiple kinetic effects of  $\beta$ -adrenergic stimulation on single cardiac L-type Ca channels  
Y. Hirano, K. Suzuki, N. Yamawake, and M. Hiraoka C1714
- Fructose 1,6-bisphosphate protects against D-galactosamine toxicity in isolated rat hepatocytes  
T. Roig, J. R. De Oliveira, R. Bartrons, and J. Bermúdez C1722
- Anions that potentiate excitation-contraction coupling may mimic effect of phosphate on  $Ca^{2+}$  release channel  
B. R. Fruen, J. R. Mickelson, T. J. Roghair, H.-L. Cheng, and C. F. Louis C1729
- $Ca^{2+}$  signaling in Sf9 insect cells and the functional expression of a rat brain M<sub>5</sub> muscarinic receptor  
Y. Hu, L. Rajan, and W. P. Schilling C1736
- Shrinkage-induced activation of  $Na^+$ - $H^+$  exchange in barnacle muscle fibers  
B. A. Davis, E. M. Hogan, and W. F. Boron C1744

Polyamines increase $\text{Ca}^{2+}$ sensitivity in permeabilized smooth muscle of guinea pig ileum <i>K. Swärd, B.-O. Nilsson, and P. Hellstrand</i>	C1754
Formation of extensive canalicular networks by rat hepatocytes cultured in collagen-sandwich configuration <i>E. L. LeCluyse, K. L. Audus, and J. H. Hochman</i>	C1764
Cytochrome P-450 arachidonate metabolites affect ion fluxes in rabbit medullary thick ascending limb <i>B. Escalante, D. Erlij, J. R. Falck, and J. C. McGiff</i>	C1775
Heterogeneity of endosomal populations in the rat renal cortex: light endosomes <i>T. G. Hammond and P. J. Verroust</i>	C1783
C <sub>2</sub> C <sub>12</sub> cells: biophysical, biochemical, and immunocytochemical properties <i>D. K. McMahon, P. A. W. Anderson, R. Nassar, J. B. Bunting, Z. Saba, A. E. Oakeley, and N. N. Malouf</i>	C1795

---

## SPECIAL COMMUNICATION

Method for recovering ATP content and mitochondrial function after chemical anoxia in renal cell cultures <i>R. B. Doctor, R. Bacallao, and L. J. Mandel</i>	C1803
<i>Subject Index to Volume 35</i>	C1813
<i>Author Index to Volume 35</i>	C1827

